



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBW5305G00131-3G-79

Job Sheet 183071



Part No: RBW5305G00131-3G-79

Job Qty: 4 ea

Part Name: Spanset Green Web Sling (2000 kg) W / Ø5/8 Elongated D-Ring



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 9/12/18

Job Tracking No:

Due Date: 10/15/18

Created By: Patrick Lussier

Type: Stock

Description:

Note: DWG RBW5305G00131-3G Rev. 3 IPP Rev. A 18.09.12 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
110	Purchasing	4 pcs		10/15/18	0.00	0.00	Purchasing		OCT 30 2018
120	Packaging	4 pcs		10/15/18	0.00	0.00	Packaging2		OCT 30 2018
130	QC	4 pcs		10/15/18	0.00	0.00	QC6		NOV 28 2018
140	Packaging	4 pcs		10/15/18	0.00	0.00	Packaging3-1		NOV 28 2018
150	QC21-SA	4 Ea		10/15/18	0.00	0.00	QC21		NOV 28 2018

Part Op 110 - Issue P/O to Span Set; P/O 040965 - Manufacture as per DWG RBW5305G00131-3G-79 - Certificate of Descriptions: Conformity is required

Sept 12, 2018 x 4 R L

GA

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
RBW5305G00131-3G-79P	Spanset Green Web Sling (2000 kg) W / Ø5/8 Elongated D-Ring	4 Ea (1 ea)	110-Purchasing	5112628

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
110-Purchasing	RBW5305G00131-3G-79P	4	0	0

Part Specifications

Specifications could not be found.



Container No: S122628



Part: RBW5305G00131-3G-79

Job No: 183071

Serial No/Batch: S122628

Revision: 3

Inspector:

Exp Date:

Instructions:


Date: 10/30/18

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Plex 9/12/18 8:20 AM dart.Lussier.Patrick

THE
1883
83

This drawing, specifications, and concepts contained here in are the sole property of DART Aerospace, and may not be reproduced or used in any fashion without the prior written permission of DART Aerospace Eugene, OR.



ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	SPREADER PLATE	1018	5/8 X 4-3/4 X 13-1/2	2
			-3	1	THREADED ROD	1018	Ø5/8 X 11-1/8	3
			-5	2	ROD MOUNT	1018	5/16 X 3-1/8 X 4-7/8	4
			-50	1	1/8 LIFT FITTINGS		RBW5305G00131-3G	1
	B/O		-63	4	HEX NUT	STEEL	3/8-24 MCMaster-CARR #94895A815	1
	B/O		-65	4	WASHER	STEEL	Ø7/16 I.D. MCMaster-CARR #90108A417	1
	B/O		-67	1	OB LONG LINK RING, WELDLESS	STEEL	Ø3/4 EUGENE EQUIPMENT #GUS89617	1
	B/O		-69	1	SHACKLE W/ SCREW PIN	STEEL	Ø1/2 EUGENE EQUIPMENT #CR1018455	1
	B/O		-71	2	SHACKLE W/ SCREW PIN	STEEL	Ø3/4 EUGENE EQUIPMENT #CR1018491	1
	B/O		-73	8	SHACKLE W/ SCREW PIN	STEEL	Ø7/16 EUGENE EQUIPMENT #CR1018437	1
	B/O		-75	4	TURNBUCKLE, JAW TO JAW	STEEL	1/2-13 UNC MCMaster-CARR #3001154	1
			-79	2	SPANSET GREEN WEB SLING (2000 kg) W/ Ø5/8 ELONGATED D-RING	SYNTHETIC, TYPE II	2 PLY; 2in. X 50in. EUGENE EQUIPMENT (REF. MED. CAP. TYPE II IT2-502)	5
			-81	2	SPANSET GREEN WEB SLING (2000kg) W/ Ø5/8 ELONGATED D-RING	SYNTHETIC, TYPE II	2 PLY; 2in. X 120in. EUGENE EQUIPMENT (REF. MED. CAP. TYPE II IT2-502)	6
			-83	4	SECURTEX SLEEVE, WEB SLING PROTECTOR PAD, W/ VELCRO	SYNTHETIC W/ PADDING	FOR 2in. STRAP X 18in. EUGENE EQUIPMENT	7
	B/O		-86	4	DRIVE SCREW	STEEL	#2 X 1/4 MCMaster-CARR #90081A077	1
	B/O		-87	1	DART PLACARD	ALUMINUM	#RB41011	1
	B/O		-89	1	STICKER, "UPPER RIGHT"	CLEAR PLASTIC	3/16 BLACK LETTERS SIGNS NOW	8
	B/O		-91	1	STICKER, "UPPER LEFT"	CLEAR PLASTIC	3/16 BLACK LETTERS SIGNS NOW	9




REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	CHD ENGRAVE NOTE P/N -5. CORRECTED P/N -75 TO -21 & -49.	5/28/2009	RJC	
B	CHANGED B.O.M. -3 QTY FROM 2 TO 1. -45 LENGTH FROM 39-1/8 TO 29-1/4. ALSO ADDED PAGE FOR -33 THRU -41 DRAWINGS. ADDED MISSING DIMENSION Ø1.125 TO -43. PER DAVE. ALSO ADDED TOLERANCE TO O.D. OF -45.	10/5/2009	WP	DW
C	ADDED -3G TO END OF TOOL NUMBER. ADDED RADIUS ØK TO -29 & -31, CHD FINISH FROM BLACK OXIDE TO JUNC YELLOW -45, -47, & -49.	3/29/2010	RJC	DW
1	ADDED -50 TAIL BOOM LIFT FITTINGS RBW5305G01851.	3/29/2010	WP	RW
2	DELETED PART No. 1-7 THRU -61 AND -85. TAIL BOOM BRACKET ASSEMBLY IS REMOVED FROM THIS TOOL AND ADDED TO TOOL No. RBW5305G00232-3G TAIL BOOM TROLLEY. REDUCED PAGES FROM 8 TO 2. CHANGED -1, -3, & -5 FROM PAINT TO POWDER COAT. ALSO ADDED -89 & -91 STICKERS TO REPLACE STENCILS.	6/29/2010	WP	DW
2D	CORRECTED P.N. ON -50 IN BOM WAS RBW5305G01851.	3/6/2012	SE	RW
3	UPDATED TO NEW DRAFTING STANDARDS. CHD TITLE BLOCK WAS RED BARN & DART. CHD TOLERANCE ON NON-CRITICAL PARTS. -1 CHD DIM WAS 4.0 IS (3.9). WAS .625 IS (.625). -5 CHD DIMS WAS .75 IS (.76). WAS .31 IS (.313). -1, -3, -5 CHD FINISH WAS FOREST T-5920 59 YELLOW RIBBON IS POWDER COAT YELLOW FED #13538. -43 ADDED B/O INFO #94895A815. -45 ADDED B/O INFO #90108A417. -47 ADDED B/O INFO #GUS89617. -49 ADDED B/O INFO #CR1018455. -71 ADDED B/O INFO #CR1018491. -73 ADDED B/O INFO #CR1018437. -79, -81, -83, -89, -91 ADDED DRAWINGS. -86 ADDED TO BOM. -87 CHD PLACARD WAS RED BARN IS DART.	7/1/2014	DPD	JAG

NOTE:
 LIFT WEIGHT 400 LBS (1750 N).

DART AEROSPACE	
TITLE TAIL BOOM LIFTING SLING & ATTACHMENT	
DWG NO. RBW5305G00131-3G	
REV 3	
MAT'L	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D. Weil</i>
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± 5°
.X ± .1	FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW139
SCALE 1:8	DATE 5/4/2009
SHEET 1 OF 10	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
3	-1 CH'D DIM WAS 4.0 IS (3.9), WAS .625 IS (.625). CH'D FINISH WAS FOREST T-5920 S9 YELLOW RIBBON IS POWDER COAT YELLOW FED #13538.	7/1/2014	DPD	JAG




(-1)
SPREADER PLATE

DART AEROSPACE	
TITLE TAIL BOOM LIFTING SLING & ATTACHMENT	
DWG NO. RBW5305G00131-3G-1	REV 3
MAT'L 1018	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH POWDER COAT YELLOW
.X ± .1	SPEC FED #13538
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW139
SCALE 1:4	DATE 6/17/2014 SHEET 2 OF 10

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
3	-3 CH'D FINISH WAS FOREST T-5920 S9 YELLOW RIBBON IS POWDER COAT YELLOW FED #13538.	7/1/2014	DPD	JAG



NOTE:



① MASK THREADS BEFORE POWDER COATING.

③
THREADED ROD

DART AEROSPACE	
TITLE: TAIL BOOM LIFTING SLING & ATTACHMENT	
DWG NO.: RBW5305G00131-3G-3	REV: 3
MAT'L: 1018	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED: <i>D. Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH: POWDER COAT YELLOW
.X ± .1	SPEC: FED #13538
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW139
SCALE: 1:2	DATE: 6/17/2014
SHEET 3 OF 10	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
3	-5 CH'D DIMS WAS .75 IS (.76), WAS .31 IS (.313), CH'D FINISH WAS FOREST T-5920 S9 YELLOW RIBBON IS POWDER COAT YELLOW FED #13538.	7/1/2014	DPD	JAG





(-5)
ROD MOUNT

DART AEROSPACE	
TITLE TAIL BOOM LIFTING SLING & ATTACHMENT	
DWG NO. RBW5305G00131-3G-5	REV 3
MAT'L 1018	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH POWDER COAT YELLOW
.X ± .1	SPEC FED #13538
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW139
SCALE 1:1	DATE 6/17/2014
SHEET 4 OF 10	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
APPROVED			




(-79)

SPANSET GREEN WEB SLING (2000 kg) W/ Ø5/8 ELONGATED D-RING

DART AEROSPACE	
TITLE TAIL BOOM LIFTING SLING & ATTACHMENT	
DWG NO. RBW5305G00131-3G-79	REV 3
MAT'L SYNTHETIC, TYPE II	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT
.XX ± .01	TREAT
.X ± .1	FINISH
FRACTIONS ± 1/32	SPEC
ANGLES ± 5°	
1. BREAK ALL SHARP EDGES .015 x 45°	USED ON MODEL
OR .015R	AW139
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:8	DATE 7/1/2014
SHEET 5 OF 10	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
			APPROVED




(-81)

SPANSET GREEN WEB SLING (2000kg) W/ Ø5/8 ELONGATED D-RING

DART AEROSPACE	
TITLE TAIL BOOM LIFTING SLING & ATTACHMENT	
DWG NO. RBW5305G00131-3G-81	REV 3
MATL SYNTHETIC, TYPE II	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT
.XX ± .01 ANGLES ± 5°	TREAT
.X ± .1	FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
SCALE 1:8	AW139
DATE 7/1/2014	SHEET 6 OF 10

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
APPROVED			



NOTE:
PADDED SLEEVE FOR 2" STRAP.

(-83)

SECURTEX SLEEVE, WEB SLING PROTECTOR PAD, W/ VELCRO

DART AEROSPACE	
TITLE TAIL BOOM LIFTING SLING & ATTACHMENT	
DWG NO. RBW5305G00131-3G-83	REV 3
MAT'L SYNTHETIC W/ PADDING	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT
.XX ± .01 ANGLES ± 5°	TREAT
.X ± .1	FINISH
1. BREAK ALL SHARP EDGES .015 x 45°	SPEC
OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW139
SCALE 1:2	DATE 5/4/2009
SHEET 7 OF 10	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
APPROVED			

3/16" UPPER RIGHT

(-89)

STICKER, "UPPER RIGHT"

DART AEROSPACE	
TITLE TAIL BOOM LIFTING SLING & ATTACHMENT	
DWG NO. RBW5305G00131-3G-89	REV 3
MAT'L CLEAR PLASTIC	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT
.XX ± .01 ANGLES ± 5°	TREAT
.X ± .1	FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
	AW139
SCALE 4:1	DATE 6/17/2014
	SHEET 8 OF 10

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL APPROVED

3/16" UPPER LEFT


(-91)

STICKER, "UPPER LEFT"

DART AEROSPACE	
TITLE TAIL BOOM LIFTING SLING & ATTACHMENT	
DWG NO. RBW5305G00131-3G-91	REV 3
MAT'L CLEAR PLASTIC	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/32	HEAT
.XX ± .01 ANGLES ± 5°	TREAT
.X ± .1	FINISH
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
SCALE 4:1	DATE 6/17/2014
	SHEET 9 OF 10

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace.

FIRST ARTICLE WEIGHT TEST



INSPECTION & TESTING PROCEDURES FOR THE RBW5305G00131-3G, TAIL BOOM LIFTING SLING & ATTACHMENT. THIS ASSEMBLY IS DESIGNED EXCLUSIVELY FOR HOISTING AND INSTALLING/REMOVING THE TAIL BOOM. THIS ASSEMBLY SHOULD BE INSPECTED BEFORE EACH USE. REPLACE ANY ITEMS THAT ARE DAMAGED OR SUSPECTED OF DAMAGE BEFORE USING!

FIRST ARTICLE WEIGHT TEST

1. AFTER INSPECTION, PLACE SLING ASSEMBLY ON A OVERHEAD LIFTING DEVICE. ATTACH THE LIFTING FITTINGS & ROD MOUNTS TO AN APPROPRIATE TEST WEIGHT OF 800 LBS.
2. LIFT WEIGHT FOR AT LEAST 5 MINUTES, CONTINUALLY CHECKING FOR CRACKS, DEFLECTION, OR DISTORTION.
3. REMOVE WEIGHT AND RE-INSPECT SLING, CHECKING FOR STRESS CRACKS, BENDING, OR DISTORTIONS.

INSPECTOR: _____

TESTER: _____

S.N.: _____

DATE: _____

 DART AEROSPACE 190 S. Danebo Ave., Eugene, OR. 97402 1-800-556-4166 e-mail: sales@dartaero.com dartaerospace.com			
TITLE TAIL BOOM LIFTING SLING & ATTACHMENT			
DWG NO. RBW5305G00131-3G	REV 3	CUSTOMER 1 OF 1	
SCALE 1:30	DATE 7/1/2014	SHEET	10 OF 10



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO040985**

Supplier: ROY003-VU
Royal Bank Visa (Robert Aboud)
x
xx
ON
Canada

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO040985

PO Date: 9/11/18

Due Date: 10/15/18

Purchase Order
Revision:

Revision Date:

Ship-To Contact: Lussier, PatrickPhone:

Via: Ground

Pynt Terms: COD

Freight Terms:

Special Comments: SpanSet

ONE TIME ONLY
APPROVAL

BY: 5/8/09/12

Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1	183071	RBW5305G00131-3G-79P	PB2000DDX1.27	Spanset Green Web Sling (2000 kg) W / Ø5/8 Elongated D-Ring	Firmed	-	10/15/18	4 Ea	0 Ea	4 Ea	\$300.00/Ea	\$1,200.00
2	183072	RBW5305G00131-3G-81P	PB2000DDX3.05	Spanset Green Web Sling (2000 kg) W / Ø5/8 Elongated D-Ring	Firmed	-	10/15/18	4 Ea	0 Ea	4 Ea	\$336.00/Ea	\$1,344.00
3	183073	RBW5305G00131-3G-83P	SEC2	Securtex Sleeve, Web Sling Protector Pad, W / Velcro	Firmed	-	10/15/18	8 Ea	0 Ea	8 Ea	\$34.50/Ea	\$276.00
Line Item Note PLEASE HAVE THE SEC2 SECUTEX CUT IN 18" LENGHTS												
Grand Total:											\$2,820.00	

240
80
25-4



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER
PO040985

Order Notes

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A008 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION SENT TO DART AEROSPACE)

A012 CHEMICAL AND PHYSICAL TEST REPORTS

A016 PERSONNEL QUALIFICATION

A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENT

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

A handwritten signature in black ink, appearing to be "R.L.", located to the right of the terms and conditions text.

Plex 9/12/18 8:24 AM dart.Lussier.Patrick

**Fall Protection
Lifting
Cargo Control
Safety Management**

SpanSet Inc.
3125 Industrial Drive
Sanford, NC 27332

800/334-7505

Bill To:

DART AEROSPACE, LTD.
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
CANADA

Ship To:

DART AEROSPACE, LTD.
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
CANADA

Packing List

Sales Order 155342

Order Date: 09/12/2018

Printed Date: 11/13/2018

Page: 1



Customer ID	Purchase Order	Terms	Ship Via	F.O.B.	Sales Rep	Ship From	Source
6881	PO040985	Credit card charge		Prepay/add	05	ONSITE	
Order Qty	Opened Qty	J.O.M. Description	Item Number Cust Number				Req. Date
✓ 4	0	EA	PB2000DDX1.27	✓ 2 TON POWERSTAR GREEN...			10/12/2018
✓ 4	0	EA	PB2000DDX3.05	✓ 2 TON POWERSTAR GREEN...			10/12/2018
✓ 12.000	0.000	FT	SEC2	✓ CLIP ON SECUTEX 2" for 1 or 2 ply...			10/12/2018
			8 PCS. CUT 18 INCHES EACH				
1	0	EA	SHIP-FEDEX	Shipping Charges - FEDEX			10/26/2018
			ALL MATERIALS, PARTS OR COMPONENTS HAVE BEEN INSPECTED AND COMPLY WITH THE PURCHASE ORDER REQUIREMENTS. ✓				

Spanset Ltd, Telford Way, Middlewich, Cheshire, CW10 0HX

Spanset Inc
3125 Industrial Drive
Sanford
North Carolina 27330
USA
US DOLLAR ACCOUNT

EC Declaration of Conformity

We hereby declare that the following equipment described meets the requirements of the Machinery Directive 2006/42/EC. In case of an uncoordinated modification of the equipment, without consultation with us, this declaration automatically expires.

Certificate No. **522143**
Date **24/10/2018**
Identification no. **12-1815196-001-00001**

Article **2T POWERSTAR SLING C/W DELTA LINKS EACH END - 1.27M
E.W.L**

Product Code: **PB2000DDX1.27**

W.L.L. 2 tonne S.F.4:1

Test Report Date **089825**
European Standard **EN 1492-1-2000**

Sales Order No. **T170908**

Works Order No. **N/A**

Customer Order No. **9508**

Manufactured Date **24/10/2018**

N.S.N. **N/A**

M.O.D. DCL Registration No. **1G3502**

Quantity: **1**

Remarks:

DAS
68
9-89

Date: **24/10/2018**

Signature:



**DAMIAN FLYNN
QHSE
MANAGER**

SpanSet Ltd, Telford Way,
Middlewich, Cheshire,
CW10 0HX

Telephone: +44 (0) 1606 737494 E-mail
Fax: +44 (0) 1606 737502 Internet

ssuk:spanset.co.uk
www.spanset.co.uk

Spanset Ltd, Telford Way, Middlewich, Cheshire, CW10 0HX

Spanset Inc
3125 Industrial Drive
Sanford
North Carolina 27330
USA
US DOLLAR ACCOUNT

EC Declaration of Conformity

We hereby declare that the following equipment described meets the requirements of the Machinery Directive 2006/42/EC. In case of an uncoordinated modification of the equipment, without consultation with us, this declaration automatically expires.

Certificate No. **522144**
Date **24/10/2018**
Identification no. **12-1815196-001-00002**

Article **2T POWERSTAR SLING C/W DELTA LINKS EACH END - 1.27M
E.W.L**

Product Code: **PB2000DDX1.27**

Test Report Date **089825**
European Standard **EN 1492-1-2000**
Sales Order No. **T170908**
Works Order No. **N/A**
Customer Order No. **9508**
Manufactured Date **24/10/2018**
N.S.N. **N/A**
M.O.D. DCL Registration No. **1G3502**
Quantity: **1**
Remarks:

DAS
68
9-89

Date: **24/10/2018**

Signature:



DAMIAN FLYNN
QHSE
MANAGER

SpanSet Ltd, Telford Way,
Middlewich, Cheshire,
CW10 0HX

Telephone: +44 (0) 1606 737494 E-mail
Fax: +44 (0) 1606 737502 Internet

ssuk:spanset.co.uk
www.spanset.co.uk

Spanset Ltd, Telford Way, Middlewich, Cheshire, CW10 0HX

Spanset Inc
3125 Industrial Drive
Sanford
North Carolina 27330
USA
US DOLLAR ACCOUNT

EC Declaration of Conformity

We hereby declare that the following equipment described meets the requirements of the Machinery Directive 2006/42/EC. In case of an uncoordinated modification of the equipment, without consultation with us, this declaration automatically expires.

Certificate No. **522145**
Date **24/10/2018**
Identification no. **12-1815196-001-00003**

Article **2T POWERSTAR SLING C/W DELTA LINKS EACH END - 1.27M
E.W.L**

Product Code: **PB2000DDX1.27**


W.L.L. 2 tonne S.F.4:1

Test Report Date **089825**
European Standard **EN 1492-1-2000**
Sales Order No. **T170908**
Works Order No. **N/A**
Customer Order No. **9508**
Manufactured Date **24/10/2018**
N.S.N. **N/A**
M.O.D. DCL Registration No. **1G3502**
Quantity: **1**
Remarks:

DAS
68
9-89

Date: **24/10/2018**

Signature:



**DAMIAN FLYNN
QHSE
MANAGER**

SpanSet Ltd, Telford Way,
Middlewich, Cheshire,
CW10 0HX

Telephone: +44 (0) 1606 737494 E-mail
Fax: +44 (0) 1606 737502 Internet

ssuk:spanset.co.uk
www.spanset.co.uk

Spanset Ltd, Telford Way, Middlewich, Cheshire, CW10 0HX

Spanset Inc
3125 Industrial Drive
Sanford
North Carolina 27330
USA
US DOLLAR ACCOUNT

EC Declaration of Conformity

We hereby declare that the following equipment described meets the requirements of the Machinery Directive 2006/42/EC. In case of an uncoordinated modification of the equipment, without consultation with us, this declaration automatically expires.

Certificate No. **522146**
Date **24/10/2018**
Identification no. **12-1815196-001-00004**

Article **2T POWERSTAR SLING C/W DELTA LINKS EACH END - 1.27M
E.W.L**


Product Code: **PB2000DDX1.27**

Test Report Date **089825**
European Standard **EN 1492-1-2000**
Sales Order No. **T170908**
Works Order No. **N/A**
Customer Order No. **9508**
Manufactured Date **24/10/2018**
N.S.N. **N/A**
M.O.D. DCL Registration No. **1G3502**
Quantity: **1**
Remarks:

DAS
68
9-89

Date: **24/10/2018**

Signature:



DAMIAN FLYNN
QHSE
MANAGER

SpanSet Ltd, Telford Way,
Middlewich, Cheshire,
CW10 0HX

Telephone: +44 (0) 1606 737494 E-mail
Fax: +44 (0) 1606 737502 Internet

ssuk:spanset.co.uk
www.spanset.co.uk

